References:

[1] Brian P. Crow et al., IEEE 802.11 Wireless Local Area Networks", IEEE Communications Magazine, September 1997.

[2] IEEE 802 LMSC Policies and Procedures, v13.

[3] 802.15.1-2002 - IEEE Standard for Telecommunications and Information Exchange Between Systems - LAN/MAN - Specific Requirements - Part 15: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Wireless Personal Area Networks (WPANs).

[4] 802.15.4-2011 - IEEE Standard for Local and metropolitan area networks--Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)

[5] Xiangdong Li, Lin Leung et al, "Post-Quantum Diffie-Hellman and Symmetric Key Exchange Protocols", Information Assurance, Proceedings of the 2006 IEEE.

[6] John D. Day and Hubert Zimmermann, "The OS1 Reference Model", Proceedings of the IEEE, VOL. 71, NO. 12, DECEMBER 1983.

[7] Rafidah Ahmad, Othman Sidek, Wan Md. Hafizi Wan Hassin, Shukri Korakkottil Kunhi Mohd, and Abdullah Sanusi Husain, "Verilog-Based design and implementation of Design Tansmitter for Zigbee Applications", International Journal of Emerging Sciences, 723-724, December 2011, ISSN: 2222- 4254, © IJES.

[8] Khalifa. O, Islam. MDR and Khan.S, "Cyclic redundancy encoder for error detection in communication channels", RF and Microwave Conference, 2004.

[9] Shudong Fang, Stevan Berber, Akshya Swain and Saeed Ur Rehman, "A Study on DSSS Transceivers Using OQPSK Modulation by IEEE 802.15.4 in AWGN and Flat Rayleigh Fading Channels", TENCON 2010, 978-1-4244-6890-4/10$26.00 ©2010 IEEE.

[10] Ting Ting Meng, Chen Zhang, Peter Athanas, "An FPGA-Based Zigbee Receiver on the Harris Software Defined Radio SIP", SDR Forum Technical Conference, Denver, Colorado, 2007.

[11] Rahmani.E, "Zigbee/IEEE 802.15.4", University of Tehran, 2005.

[12]Wayne Tomasi, "Advanced Electronic Communication System", 6th Edition, Pearson Education.

[13] Zigbee Alliance, available at: www.zigbee.org.

[14] Baronti. P, Pillai. P, Chook. VWC, Chessa. S, Gotta. A and Fun Hu. Y, "Wireless sensor

networks: A survey on the state of the art and the 802.15.4 and Zigbee standards", Computer Communications, 30(2007): 1655-1695, © 2007 Elseveir.

[15].Lee. JS, Su. YW and Shen. CC, "A comparative study of wireless protocols: Bluetooth, UWB, Zigbee and WiFi", Proceedings of the 33rd Annual Conference of the IEEE Industrial Electronics Society (IECON), 2007, 4651.

[16]. Webb. W, "Wireless Communications: The future",John Wiley & Sons Ltd, England, 2007.

[17].Shuaib. K, Alnuaimi. M, Boulmalf. M, Jawhar. I, Sallabi. F and Lakas. A, "Performance evaluation of IEEE 802.15.4: Experimental and simulation results", Journal of Communications, 2, 4(2007): 29-37.based Zigbee receiver on the Harris software defined radio SIP", SDR Forum Technical Conference, Denver, Colorado, 2007.

[18] Rahmani. E, "Zigbee/IEEE 802.15.4", Univerity of Tehran, 2005.

[19] Xilinx, "Spartan3E FPGA Family: Complete Data Sheet", 2006.

[20]Oualkadi. AE, Andendorpe. LV and Flandre. D, "System-level Analysis of O-QPSKTransceiver for 2.4 GHz band IEEE 802.15.4 Zigbee Standard", 14thInternational Conference on Mixed Design, 2007, 469-474.

[21]Shukla. S and Bergmann. NW, "Single bit error correction implementation in CRC-16 on FPGA", Proceedings of IEEE International Conference on Field-ProgrammableTechnology 2004, 319-322.

[22] Feldmeier. DC, "Fast software implementation of error detection codes", IEEE/ACM Transactions on Networking, 3, 6(1995): 640-651.

[23]Matloff. N, "Cyclic redundancy checking", Department of Computer Science, University of California, 2001.

[24] Deng. X, Rong. M, Liu. T, Yuan. Y aand Yu. D, "Segmented cyclic redundancy check: A data protection scheme for fast reading RFID tag's memory", Proceedings of WCNC, 2008, 576-1581.

[25] Khalifa. OO, Islam. MDR and Khan. S, "Cyclic redundancy encode for error detection in communication channels", RF and Microwave Conference, 2004, 224-226.

[26] Lee. WCY, "Mobile communication engineering, theory and application", McGraw-Hill, New York, 1998.

[27] Wang. CC, Sung. GN, Huang. JM,Lee. LH and Li. CP, "A Low-Power 2.45 GHz WPAN modulator/demodulator", Microelectronics Journal, 41(2010):150-154.

[28]Kluge. W, Poegel. F, Roller. H, Lange. M, Ferchland. T, Dathe. L and Eggert. D, "A fully integrated 2.4 GHz IEEE 802.15.4-compliant transceiver for Zigbee applications", IEEE Journal of Solid-State Circuits, 41, 12(2006): 2767-2775.

[29]Yan. Z, Wen. B, Wang. C and Zhang. C, "Design and FPGA implementation of digital pulse compression for chip radar based on CORDIC", IEICE Electronics Express, 6

[30] Lee. JS, Su. YW and Shen. CC, "A comparative study of wireless protocols: Bluetooth, UWB, Zigbee and WiFi", Proceedings of the 33rd Annual Conference of the IEEE Industrial Electronics Society (IECON), 2007, 4651.